

Crystal engineering for solid-state molecular recognition

Host-guest interactions in crystalline frameworks can be exploited to selectively and reversibly adsorb molecular species within a crystalline lattice. This process is important in a variety of technological fields, including gas separation, catalysis, trapping of pollutants and carbon capture. Professor Akiko Hori (Shibaura Institute of Technology) is developing chemical approaches for optimising the building blocks of these solid-state systems. Perfluorination of these host molecules induces opposite quadrupole moments that tailors their affinities for specific molecular adsorbates.

Molecular recognition is a process through which molecules interact to form non-covalently bonded assemblies, often comprising multiple components and exhibiting complex structures. The binding of these complementary molecules arises from weak interactions, including hydrogen bonds, metal coordination, $\pi\cdots\pi$ and $\pi\cdots$ metal interactions, van der Waals forces and electrostatic attraction. Molecular recognition occurs naturally in several biological processes, including antigen-antibody interactions and DNA-protein binding, and it is at the core of the mechanism of action of specific classes of drugs, like antibiotics. Synthetic systems exhibiting molecular recognition have also been created, and they have been put forward as promising materials for the selective manipulation of small molecules in a variety of technological applications.



Solid-state frameworks with a highly porous structure have received particular attention as flexible "smart hosts" for small- to medium-size molecules, in view of their potential ability to bind and transport molecules and bio-antibody models with high efficiency and selectivity. Host frameworks can be designed by exploiting weak interactions between their building blocks, to form porous network structures with cavities capable of accommodating guest molecules. However, controlling the growth of the crystal network, and, especially, the size and structural properties of the host cavities can be challenging. Frequently, unexpected transformations occur in the crystal structure during the incorporation of guest molecules

and cavity mismatch can occur in consequence to the formation of interpenetrating structures.

To overcome the limitations of current materials growth processes, Professor Hori has been pioneering the synthesis and use of *non-porous* materials with high adsorption selectivity and efficiency, which are prepared through self-assembly of chemically functionalised monomers. In particular, she has been able to show that the fluorination of organic ligands can be used as a simple and powerful approach to prepare host materials with the ability to bind reversibly or irreversibly wide classes of molecular species, and to provide new promising solid-state media for molecular recognition.

COORDINATION COMPLEXES AS BUILDING BLOCKS

Host crystalline structures can be created through the self-assembly of discrete molecular species. The self-assembly process is spontaneous and is regulated by the size, shape and chemical properties of these building blocks. Transition metal coordination compounds composed of a metal cation surrounded by an organic ligand with extended aromatic bonds are good examples of self-assembling building blocks. These compounds exhibit a variety of structures and properties, which depend on the nature of the cation and of the coordinated ligand. The assembly of these monomers to form perfect crystals, however, is not controlled simply by the nature of the cation itself and by the external conditions under which the self-assembly process is carried out, like the



Single x-ray crystallographic study is a powerful tool for understanding the weak intermolecular interactions between host and guest materials.

Fluorine is a unique substituent that dramatically changes the intramolecular electron withdrawing nature and intermolecular interactions of aromatic materials.


temperature and type of solvent used during the crystallization.

Furthermore, the crystallization of coordination compounds typically only yields uniform crystals with a very regular structure and high structural rigidity, which makes them unsuitable for molecular recognition. Polymorphic materials, which can exist in different crystal structures, and pseudo-polymorphic materials, which adopt different crystal structures depending on the presence of water or other solvents, can provide suitable alternative routes for the development of synthetic systems for molecular recognition.


CONTROL OF CRYSTAL GROWTH THROUGH FLUORINATION

To favour the formation of pseudo-polymorphic crystals with enhanced host features, Professor Hori and her collaborators have developed a simple chemical approach, in which the molecular flexibility, electrostatic potential and local electron density of the monomers are modified through the addition of fluorine atoms in their molecular structure. Fluorine has a large intra-molecular electron withdrawing nature, which dramatically affects the intermolecular interactions between


Benzene is non-polar and negative quadrupolar molecule.



Hexafluorobenzene is non-polar and positive quadrupolar molecule.



Four pentafluorophenyl rings are attached to give a host molecule.



MOLECULAR RECOGNITION IN FLUORINATED COMPOUNDS

The research team have synthesised several flexible host frameworks of fluorinated mono-nuclear and di-nuclear coordination complexes of various transition metal cations (including Cu^{2+} , Fe^{3+} , Co^{2+} , Ni^{2+} , Pd^{2+} and Pt^{2+}) with very specific molecular recognition properties. These frameworks show two types of guest recognition events: the selective binding of CO_2 and the metal ion-selective adsorption of small gas molecules, such as benzene, N_2 , O_2 , H_2 , NO and CH_4 . Crucially, host structures obtained from the corresponding non-fluorinated coordination complexes show no tendency to guest encapsulation.

QUADROPOLAR HOST-GUEST INTERACTIONS


Professor Hori has also studied in detail the structural and electronic

These interactions are responsible for the existence of multiple states with different crystal structures, which is a crucial feature of systems exhibiting guest recognition properties.

properties of hosts obtained from fluorinated complexes, to devise a model for the origin of the enhanced molecular recognition properties of these systems. She used x-ray crystallography measurements to understand what features in the local structure of the adsorption site are responsible for promoting the selective binding of specific guest molecules. For instance, in the case of fully fluorinated pentafluorophenyl ligands with Cu^{2+} , she demonstrated that guest

aromatic molecules (e.g. benzene derivatives) arrange themselves in the most suitable position, within the flexible cavities of the host, to establish direct π - π cation and arene-perfluoroarene interactions. In this specific case, the planar nature of the ligand allows access to a free axial coordination site, which acts as a binding site for the guest molecule.

Furthermore, the ability of the cation to act as a coordination site is enhanced by the presence of fluorine atoms on the ligand, which promote the displacement of electron density away from Cu^{2+} , effectively strengthening electrostatic π - π cation interactions. The fluorine atoms also induce on a ligand a net quadrupole moment, promoting attractive interactions with guest molecules of opposite quadrupole moment. This explains the remarkable ability of the systems prepared by Prof Hori's team to act as efficient hosts for non-polar and negative quadrupolar molecules like CO_2 ($-1.4 \times 10^{-39} \text{ C m}^2$) and benzene derivatives (e.g. benzene is $-2.9 \times 10^{-39} \text{ C m}^2$).



Professor Akiko Hori

E: ahori@shibaura-it.ac.jp T: +81-48-720-6350 W: <https://www.shibaura-it.ac.jp/en/>
W: http://www.sic.shibaura-it.ac.jp/~ahori/molecular_assemblies/index.html



Crystal engineering for solid-state molecular recognition

Research Objectives

Akiko Hori's research is concerned with supramolecular chemistry and coordination compounds, in particular weak intermolecular interactions.

References

- Hori A. (2012). Chapter 7, Arene-perfluoroarene interactions in coordination architectures. The importance of π -interactions in crystal engineering. *Frontiers in Crystal Engineering III* (Eds. Tiekink ERT & Zukerman-Schpector J). John Wiley & Sons, pp. 163-185.
- Hori A; Nakajima K; Akimoto Y; Naganuma K; Yuge H. (2014). Guest-adjusted encapsulation and thermal studies of non-porous mononuclear Cu(II) coordination complexes through electrostatic interactions induced by fluorine substitution. *CrystEngComm*, 16, 8805-8817.
- Hori A; Gonda R; Rzeznicka II. (2017). Enhanced adsorption of small gas molecules in metal (Cu^{2+} , Pd^{2+} , Pt^{2+}) complexes induced by ligand fluorination. *CrystEngComm*, 19, 6263-6266.
- Gonda R; Rzeznicka II; Kinoshita Y; Uchida S; Hori A. (2019). Guest encapsulations in non-porous crystals of fully fluorinated dinuclear metal complexes with the M_2O_2 core ($\text{M} = \text{Fe}^{3+}$, Co^{2+} , Ni^{2+}). *Dalton Trans*, 48, 9062-9066.
- Ikumura Y; Habuka Y; Sakai S; Shinohara T; Yuge H; Rzeznicka II; Hori A. (2020). Enhanced and heteromolecular guest encapsulation in nonporous crystals of a perfluorinated triketonato dinuclear copper complex. *Chem Eur J*, 26, 5051-5060.
- Kusakawa T; Goto T; Hori A. (2020). Supramolecular association of $\text{M}_2 \dots \pi$ induced by different electrostatic properties using naphthyl substituted β -diketonate complexes (metal = Cu, Pd, Pt). *CrystEngComm*, 22, 3090-3094.

Detail

Akiko Hori, Shibaura Institute of Technology 307 Fukasaku, Minuma-ku, Saitama 337-8570, Japan.

Bio

Akiko Hori is a Professor in Department of Applied Chemistry, Graduate School of Engineering and Science at Shibaura Institute of Technology. She received her PhD in 2002 from Nagoya University, Japan.

Funding

Japan Society for the Promotion of Science (JSPS)

Collaborators

Prof Izabela Rzeznicka (Shibaura Institute of Technology)
Prof Gary James Richards (Shibaura Institute of Technology)
Prof Hidetaka Yuge (Kitasato University)

Personal Response

Fluorination appears to be a very simple and general approach to obtain new materials with enhanced molecular recognition properties. How did you become interested and develop this approach, and what technological fields do you think will benefit most from your work?

/// The research of molecular recognition has moved from relatively strong interactions such as polarity and hydrogen bonding to weaker intermolecular forces. Since carbon dioxide and aromatic hydrocarbons, which are associated with environmental problems, are non-polar molecules, and both happen to have negative quadrupole moments, we noticed that the design of molecules with positive quadrupole moments using fluorine atoms is necessary for their recognition and separation. The technological fields of our research will benefit the purification and storage of molecules for chemical products and the separation of environmental pollutions. ///